HP ProOne 400 G6 24 All-in-One PC



Ready for versatile work environments

Easy to deploy, sleek, and feature-rich, the HP ProOne 400 24 All-in-One PC features a contemporary design with business-class performance, collaboration, security, and manageability features.



HP recommends Windows 10 Pro for business

- HP recommends Windows 10 Pro¹ for business
- Intel[®] Core[™] processors²

Functionality for the multi-device world

Provide users with multiple devices options for how they work and stay productive. New
flexibility is delivered by the HP ProOne 400 24 AiO that can be used as a full PC or as an
additional display for another desktop or laptop PC.³

Sleek, elegant design

 Featuring a sleek design, this AiO undergoes MIL-STD 810H testing⁹ and still suits the front desk or an owner's office. The anti-glare 23.8-inch diagonal IPS display provides plenty of workspace.

HP exclusive security and manageability

Help prevent data breaches and downtime with HP Sure Sense⁴, HP Sure Click⁵, and HP BIOSphere Gen6.⁶ Simplify management with the HP Manageability Integration Kit.⁷ Ease fleet deployment and management with the optional Intel[®] Q470 chipset and Intel[®] vPro[™].⁸

Powerful options

- Choose a high-performance 10th Gen Intel[®] Core[™] processor² with optional PCIe NVMe[™] SSD storage¹⁰ and high-speed DDR4 memory¹⁰ or Intel[®] Optane[™] memory H10¹¹, and optional high-end discrete graphics.¹⁰
- Support a commitment to create and use more sustainable products. The high-efficiency
 power supply, use of ocean-bound plastics in the speaker box and molded pulp packaging
 help reduce the impact on the environment.¹²
- Traditional antivirus can't always recognize new attacks. HP Sure Sense harnesses the power of deep learning AI to identify and quarantine never-before-seen attacks, helping prevent infections before they happen.⁴
- Help protect your PC from websites, attachments, malware, ransomware, and viruses with hardware-enforced security from HP Sure ${\rm Click.}^5$
- Keep productivity high and downtime low with HP BIOSphere Gen6 firmware-level automation. Your PCs have extra protection thanks to automatic updates and security checks. $^{\rm 6}$
- The HP Manageability Integration Kit helps speed up image creation and management of hardware, BIOS, and security through Microsoft System Center Configuration Manager.⁷
- Spend less time and get right to the updates you need with HP Support Assistant.¹³
- Spend less time and get right to the updates you need with HP Support Assistant.^{13,14}
- Simplify securing your PC. HP Client Security Manager Gen6 offers a single interface to set up and manage powerful security features, including HP SpareKey and HP Password Manager.¹⁵
- Improve the quality and security of custom Windows images with HP Image Assistant which assists ITDMs with image creation, identifies problems, and provides recommendations and remediation.

HP ProOne 400 G6 24 All-in-One PC Specifications Table

Number of the GL - P in a communit. Wakes: If the P is a communit. Number of the GL - P is a communit. Wakes: If the P is a communit. Aukkib Control Spram. Witter of the GL - P is a communit. Wakes: If the P is a communit. Number of the GL - P is a communit. Wakes: If the P is a communit. Sprame Test, Witter of the GL - P is a communit. Wakes: If the P is a communit. Number of the GL - P is a communit. Number of the GL - P is a communit. Witter of the GL - P is a communit. Number of the P is a communit. Number of the GL - P is a communit. Number of the GL - P is a communit. Number of the P is a communit. Number of the GL - P is a communit. Num	••••
mill (ower) - 1000 million that many flog bases (b) 20 bits between, out of 20 million that the bases. In this 11 only in one support share "when "bits bases (b) and the	
Adda Process ^{31,3,4} Intel Conv ² - 10000 - Intel ⁴ Code Code Code Code Code Code Code Code	
Oppert ²⁸ Inst# 0470 Bightees ¹⁶ 250 nis. Form Bator All-none Mainton memory 64 G10064-2665 50846 (cd C0064-1200 50004 ^{4,13}) Transfer rates to 26 56840 (for G40076-1200 50004 ^{4,13}) Transfer rates to 265840 (for G40076-1200 50004 ^{4,13}) Mainton memory 64 G10064-2665 50846 (for G40076-1200 50004 ^{4,13}) Transfer rates to 265840 (for G40076-1200 50004 ^{4,13}) Store (for C0076, for C0076,	
Form factor All-in-one Mexinum memory 64 BD R04-266 SDBAM 6.1300 SDBAM 6.139 Taraber rates up to 2803 MDs for rates up to 2800 MDS for rates up to 2800 MDS for rates up to 2800 M	
Maintum memory EAG DDM-3266 SDRAME 64 CB DDM-3200 SDRAME ^{1,1,10} Transfer rates up to 260 MK Minory stock 2 SDDMA Minory stock 2 SDDMA Internal storage Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK Storage rates up to 260 MK	
Interference Space Among sides 2.000H Social of the second sec	
Memory slots 2 500 MM Internal storage S00 GB up to 215 SALADD ¹ S00 GB sub. S10 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S00 GB sub. S10 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S00 GB sub. S10 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S00 GB sub. S10 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S00 GB sub. S10 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ S26 GB up to 512 GB PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ² V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ² V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ¹ V 250 PPG/2 ¹ MAX ² V 250 PPG/2	
Biologic Strategy Display Socie Strategy Display Internal storage Socie Strategy Display Storage acceleration ¹⁴ 16 GB NMAP ^{II} If Mark Mark 12 S.SSC ¹ IT MAR SSD ² 255 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 255 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 255 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 255 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 255 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD ² 256 GB Up to 21 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MARK SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref MMAP ^{II} If Mark SSD Up the 11 Biol (Ref	
Storage acceleration ¹⁴ 16 GB NUMe ¹⁴ Intel [®] Optane ¹⁴ Memory for storage acceleration Optical drive ⁴ HP 9.5 mm Slim DUD-Writer; HP 9.5 nm Slim DUD-Bolk HP 9.5 nm Slim Blu-ray writer Display ¹⁶ 2.3.8 ⁴ diagonal HD IP's widescree MUED-backtit auch screen (1920x 1080) Available Graphics Integrated Intel ⁴ IHD Graphics 630; mid ⁴ UH Graphics 610 Display ¹⁶ Discrete: MPL Radem ⁴⁰ Ker GG Construction (1920x 1080) Available Graphics Discrete: MPL Radem ⁴⁰ Ker GG Construction (1920x 1080) Mode Realtek ALC3252 codec, internal speaker, comb microphone/headphone jad. Expansion slots 1 M2 2230(1 M2 2id tor WL An and 1 M2 2230 stot for storage) Side: 1 headphone/microphone combo; 1 SuperSpeed USB Type-K 10Gbps signaling rate; 1 SuperSpeed USB Type-A 10Gbps signaling rate (charging) ¹⁹ Res: 11: Ha43, 1 DisplayPort ¹⁴ 1.4, 4 SuperSpeed USB Type-K 10Gbps signaling rate; 1 HDMI-In ¹⁸ Optional Ports 1 HDMI 2.0, 1 serial; 1 DisplayPort ¹⁴ 1.4 Available Keyboard; ¹⁶ HP USB Intoid optical and PS/2 Washable Keyboard; HP USB Business Slim Sms Tand Vietwork Interface Intel ⁴⁴ HP 4.201 (Figure And PS/2 Washable Mouse; HP USB Wried Reyboard; HP USB Business Slim Sms Tand DisplayOut ¹⁴ 1.4, 4 SuperSpeed USB Type-K 10Gbps signaling rate; 1 SuperSpeed USB Type-K 10Gbps signaling rate; 1 HDMI-In ¹⁸ Optional Ports 1 HDMI 2.0, 1 serial; 1 Displa	
Display ¹⁶ 23.8° diagonal PAD DS widescreen WLED-backit anti-glare (1920 x 1080) Available Graphics Integrated: Intel® UD Graphics G10 Available Graphics Discrete: AMD Radeom® 500 Graphics (2 GB CDDR) for WLED -backit anti-glare (1920 x 1080) Available Graphics Models available of discrete graphics and must be configured at purchase (integrated graphics will depend on processor).) Audio Reatter ALC3252 codec, internal speaker, combo microphone/headphone jack Expansion slots 1M2.2230; 1M.2.2280; 1M.2.2280; 1M.2.2280; 1M.2.2280; stoff or storage.) Ports and Connectors Side 1 headphonemicrophone combo, 1.5 speasefield CD Stores 400 B Type -A 10Gbps signaling rate; 1.5 uper Speed USB Type -A 10Gbps signaling rate (charging) ¹⁸ Optional Ports 1 HOM 2.0; 1 secility: 1D splayPort***:1.4 Available Keyboards ¹⁶ HP USB Wired Keyboard; HP Wireless Business Slim Keyboard and Mouse Combo, Universal USB wired keyboard; HP USB PS2 Washable Keyboard; HP USB Boxiness Slim Smart Cand Available Pointing Devices ¹⁶ HP USB 1000 dpl Laser Mouse; HP USB and PS/2 Washable Mouse; HP USB Hardened Mouse; HP USB Ringerprint Mouse; HP USB Ringerprint Mouse; HP USB Ringerprint Mouse; HP USB Ringerprint Mouse; HP Wired Desktop 320K Mouse LNN Newk Interface Intel® ¹¹⁴⁴ : 1280 (1920 WHP and Blueboth® M2 combo card, wPro ¹⁸ WLAN ^{15,22} Real Real REACC22 Coll Coll WHP and Blueboth® M2 combo card, wPro ¹⁸ NulAN ^{15,23} <td< td=""><td></td></td<>	
Usplay 2.3.8* diagonal FID UPS videscreen WLED-badit Graphics G10 Available Graphics Integrated: Intel® UHD Graphics G30, Intel® UHD Graphics G10 Available Graphics Concerter AMD Radiom® G30 Graphics G10 Available Graphics Redirek ALC3252 code, internal speaker, contro microphone/headphone jack Expansion slots 1.1.2.2.230, 11.1.4.2.2.230, 11.4.2.2.300 for VLAN and 1.M.2.2.230 slot for storage.) Side 1. Haddphony/microphone combox 1. SuperSpeed USB Type-C* 10Gbps signaling rate; 1.SuperSpeed USB Type-A.10Gbps signaling rate (charging) ¹⁰⁹ Ports and Connectors Side 1. Haddphony/microphone combox 1.SuperSpeed USB Type-C* 10Gbps signaling rate; 1.SuperSpeed USB Type-A.10Gbps signaling rate (charging) ¹⁰⁹ Ports and Connectors Side 1. Haddphony/microphone combox 1.SuperSpeed USB Type-C* 10Gbps signaling rate; 1.SuperSpeed USB Type-C* 10Gbps signaling rate; 1.SuperSpeed USB Type-A.10Gbps signaling rate; 1.SuperSpeed USB Type-C* 10Gbps Signaling rate; 1.SuperSpeed USB Type-C* 10Gbp Signaling	
Available Graphics Discrete: AND Padeon ^{IM} 500 Graphics (2 CG 600005 dedicated) (Models available with their integrapted or discrete graphics and must be configured at purchase (integrated graphics will depend on processor).) Audio Realter AL C3252 codec, internal speaker, combo microphone/headphone jack Expansion Solo 11X2 2230.1 NZ 2280.01 WL2 Solo for WLAN and 11 ML2 2200 solo for stronge). Ports and Connectors Code 1 headphonumicrophone combox (Supe Speed USB Type-A 10Gbps signaling rate: 1 Supe Speed USB Type-A Supe Spe	
Addo Realter AL2322 coder, internal speaker, combo microphone/headphone jack Expansion slots 1 M2 2230; 1 M.2 2280 (1 M.2 3 lot for WLAM and 1 M.2 2280 slot for storage) Ports and Connectors Side: 1 headphone/microphone combo: 1. SuperSpeed USB Type-(* 10Gbps signaling rate; 1 SuperSpeed USB Type-A 10Gbps signaling rate (harging) ¹³⁹ Rear: 1 R4-45; 1 DisplayPort* 1.4 Optional Ports 1 HDM 2.0; 1 serial; 1 DisplayPort* 1.4 Available Keyboards ¹⁶ HP USB Wired Keyboard; HP Wireless Business Slim Keyboard and Mouse Combo; Universal USB wired keyboard; HP Wired Desktop 320K Keyboard; HP USB PS2 Washable Keyboard; HP USB Business Slim Smart Card Available/ Keyboards ¹⁶ Available/ Keyboards ¹⁶ HP USB Wired Keyboard; HP Wireless Business Slim Keyboard and Mouse Combo; Universal USB wired keyboard; HP USB PS2 Washable Keyboard; HP USB Business Slim Smart Card Available/ Keyboard; Interf Wiref AS/2001 [A22] Wiref* and Bluetooth* M.2 combo card, non-s/Pr0* market Multiply Interf Wiref AS/2001 [A22] Wiref* and Bluetooth* M.2 combo card, non-s/Pr0* market Micro Market Micro Market Drive Bays One 2.5* ¹⁷ SM IR carera (pull-up) with integrated dual array digital microphone; 5 MP carera (pull-up) with integrated dual array digital microphone; 720 p carera (pull-up) with integrated dual array digital microphone; 720 p carera (pull-up) with integrated dual array digital microphone; 720 p carera (pull-up) with integrated dual array digital microphone; 720 p carera (pull-up) with integrated dual array digital microphone; 720 p carera (pull-up) with integrated dual array dig	
Expansion slots 1 M.2 2230; 1 M.2 2280 (1 m.2 2400 for WLAN and 1 M.2 2280 slot for storage.) Expansion slots 1 M.2 2230; 1 M.2 2280 (1 m.2 2400 for WLAN and 1 M.2 2280 slot for storage.) Ports and Connectors Side: 1 Headphorn/microphone combo: 1 Super Speed USB Type: 4 10Gups signaling rate; 1 Super Speed USB Type: A 10Gups signaling rate (charging) ¹⁸ Bottom: 1 S0: 30 card reader Optional Ports 1 HDMI 2:0.1 serial; 1 DisplayPort ^M : 1.4 4 Super Speed USB Type: 4 Super Speed USB wired keyboard; HP Wired Desktop 320K Keyboard; HP USB PS2 Washable Keyboard; HP USB Business Sim Keyboard and Mouse Combo; Universal USB wired keyboard; HP Wired Desktop 320K Keyboard; HP USB PS2 Washable Keyboard; HP USB Business Sim Smart Card Available Pointing Devices ¹⁶ HP USB Wired Keyboard; HP USB and PS/2 Washable Mouse; HP USB Hardened Mouse; HP USB Fingerprint Mouse; HP USB Ringerprint Mouse; HP USB Ringerprint Mouse; HP USB Ringerprint Mouse; HP USB And PS/2 Washable Mouse; HP USB Control Card, News; HP USB And PS/2 Washable Mouse; HP USB Control Card, News; HP USB Ringerprint Mouse; HP Wired Desktop 320M Mouse LNN Network Interface Intel ¹⁸ WI-FI & 6X201 (2x2) Wi-FP and Bluetooth ¹⁹ M.2 combo card, News ¹⁹ meet ¹⁰ WI-FF and Bluetooth ¹⁹ M.2 combo card, News ¹⁹ meet ¹⁰ WI-FF & and Bluetooth ¹⁹ M.2 combo card, News ¹⁹ meet ¹⁰ WI-FF & and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card Realizer RTUBB/CHC (X) WI-FP and Bluetooth ¹⁹ M.2 combo card R	
Side: 1 headphone/microphone combo: 1 SuperSpeed USB Type-C* 10Gbps signaling rate: 1 SuperSpeed USB Type-A 10Gbps signaling rate (harging) ³⁹ Ports and Connectors Side: 1 headphone/microphone combo: 1 SuperSpeed USB Type-A SOBps signaling rate: 1 HDMI-in ¹⁸ Optional Ports 1 HDMI 2:0, 1 serial; 1 Display/Port*1 .4 Available Keyboards ¹⁶ HP USB Wired Keyboard; HP Wieless Business Slim Keyboard and Mouse Cmboc Universal USB wired keyboard; HP USB PS2 Washable Keyboard; HP USB PS2 Washable Keyboard; HP USB PS2 Washable Keyboard; HP USB Display/Port*1 A Available Pointing Devices ¹⁶ HP USB 1000 dpi Laser Mouse; HP USB and PS/2 Washable Mouse; HP USB Blardened Mouse; HP USB Fingerprint Mouse; HP Wired Desktop 320K Keyboard; HP USB Ps2 Washable Keyboard; HP USB Display/Port*1 A Available Pointing Devices ¹⁶ HP USB 1000 dpi Laser Mouse; HP USB and PS/2 Washable Mouse; HP USB Blardened Mouse; HP USB Fingerprint Mouse; HP Wired Desktop 320K Keyboard; HP USB Ps2 Washable Keyboard; HP USB Display/Ps2 Washable Mouse; HP USB Optical Mouse; HP USB Pingerprint Mouse; HP Wired Desktop 320K Mouse LN Network Interface Intel ⁴⁴ W-F1 6 AX201 (2:2) W-F ⁴⁴ and Bluetoott ⁴⁴ N.2 combo card, who wire Measter NTLB82/CE 202: Tabb/pinker (2:2) W-F* and Bluetoott ⁴⁴ N.2 combo card WLAN ^{3,2} Camear NILB82/CE 802: Tabb/pinker (2:2) W-F* and Bluetoott ⁴⁴ N.2 combo card Drive Bays Ope-Z5 ⁻¹⁷ Camear ³ S MP R camera (pull-up) with integrated dual array digital microphone; 5 MP camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with in	
Available Keyboards ¹⁶ HP USB Wred Keyboard; HP Wieless Business Slim Keyboard and Mouse Combo; Universal USB wired keyboard; HP Wired Desktop 320K Keyboard; HP USB PS2 Washable Keyboard; HP USB Business Slim Smart Card Available Keyboards ¹⁶ HP USB Wired Keyboard; HP USB Business Slim Keyboard and Mouse Combo; Universal USB wired keyboard; HP USB Pice Washable Keyboard; HP USB Business Slim Smart Card Available Keyboards HP USB 1000 dpi Laser Mouse; HP USB and PS/2 Washable Mouse; HP USB Hardened Mouse; HP USB Diptical Mouse; HP USB Fingerprint Mouse; HP Wired Desktop 320M Mouse LAN Network Interface Intel [®] L151 (AC2) Intel [®] L161 (AC	
Available Pointing Devices ¹⁶ HP USB 1000 dpl Laser Mouse; HP USB and PS/2 Washable Mouse; HP USB Hardened Mouse; HP USB Optical Mouse; HP USB Fingerprint Mouse; HP Wired Desktop 320M Mouse LAN Network interface Intel® '1219_LM GbE WLN 932 Intel® Wi-16 AX201 (2x2) Wi-Fi® and Bluetooth® M.2 combo card, vPo™ Reatek RTL8822CE 802.11a/b/m/Ac (2x2) Wi-Fi® and Bluetooth® M.2 combo card, vPo™ Reatek RTL8822CE 802.11a/b/m/Ac (2x2) Wi-Fi® and Bluetooth® M.2 combo card Drive Bays One 2.5 ⁻¹⁷ Camera ³³ S MP IR camera (guli-up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 720 p camera (guli-up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 720 p camera (guli-up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 720 p camera (guli-up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) with integrated dual array digital microphone; 5 MP camera (guli up) 5 MP camera (
LAN Network Interface Intel® 1219_UK GbE WLAN 9.32 Intel® WLF1 6 AXC01 [22:2] WLF1® and Bluetooth® M.2 combo card, non-vfro™ material WLF1 6 AXC01 [22:2] WLF1® and Bluetooth® M.2 combo card, vfro™ Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8822CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2] WLF1® and Bluetooth® M.2 combo card Realtek RTI 8827CE 802 11:nh0fm/dx (2x:2	(CCID) Keyboard
WLA \$32 Intel® WLF16 AX201 (2x2) WLFP and Bluetooth™ AZ combo card, VPO™ Realter KTIB827CE 2021 Tab/bjt/m62 (2x2) WLFP and Bluetooth™ AZ combo card Realter KTIB827CE 2021 Tab/bjt/m62 (1x1) WLFP and Bluetooth™ AZ combo card Drebays One 25*17 Camea ³³ S MP R camera (pull-up) with integrated dual array digital microphone; 5 MP camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 700 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated	
WLA \$32 Intel® WLF16 AX201 (2x2) WLFP and Bluetooth™ AZ combo card, VPO™ Realter KTIB827CE 2021 Tab/bjt/m62 (2x2) WLFP and Bluetooth™ AZ combo card Realter KTIB827CE 2021 Tab/bjt/m62 (1x1) WLFP and Bluetooth™ AZ combo card Drebays One 25*17 Camea ³³ S MP R camera (pull-up) with integrated dual array digital microphone; 5 MP camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 700 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated	
Camera ³³ 5 MP IR camera (pull-up) with integrated dual array digital microphone; 5 MP camera (pull-up) with integrated dual array digital microphone; 720 p camera (pull-up) with integrated dual array digital microphone Environmental Operating temperature: 10 to 35°C; Operating humidity: 10 to 90% 8H	
Environmental Operating temperature: 10 to 35°C; Operating humidity: 10 to 90% RH	
Software HD Noice Cancellation Software: HD Support Assistant: Ruw Office (cold senarately): HD IwmStarts: HD Deskton Support Hillities	
Security management ^{21,23,27,23,37,38} Proves-on password (via BIOS); SATA port disablement (via BIOS); Setup password (via BIOS); Setup password (via BIOS); Support for chasis; able lock (evices; HP Secure Erase; HP Secure Era	
HP BIOS Config Utility (download); HP Client Catalog (download); HP Driver Packs (download); HP System Software Manager (download); HP Cloud Recovery; HP Management Integration Kit for Microsoft System Cente 4; HP Image Assistant Gen 5 ^{11,28,30,35}	Lonfiguration Management Gen
Power ¹⁵ 90 W external power adapter: up to 89% efficiency, active PFC, 150 W external power adapter, up to 89% efficiency, active PFC	
Dimensions 21.23 x 20.12 x 9.17 ir; 53.93 x 51.1 x 23.3 cm (With adjustable height stand.)	
Weight 17.09 lb; 7.75 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.)	
Energy efficiency compliance ¹³ ENERGY STAR ^a certified; EPEAT ^a 2019 registered where applicable	
Environmental specifications ¹⁴ Low halogen	

HP ProOne 400 G6 24 All-in-One PC

Accessories and services (not included)

Additional Services (Not included)



HP Care Pack

U7897E - HP 4 year Next business day onsite Hardware Support for Desktops

HP recommends Windows 10 Pro for business

HP ProOne 400 G6 24 All-in-One PC

Messaging Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is

automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com. ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

³ Second PC sold separately

⁴ HP Sure Sense requires Windows 10

⁵ HP Sure Click requires Windows 10 and supports Microsoft Internet Explorer. Google Chrome[™], and Chromium[™], Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed. ⁶ HP BIOSphere Gen5 is available on select HP Pro and Elite PCs. Features may vary depending on the platform and configurations.

⁷ HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.
⁸ For full Intel® vPro™ functionality, Windows, a vPro supported processor, vPro enabled Q370 chipset or higher and vPro enabled WLAN card are required. Some functionality, such as Intel Active management technology and Intel

Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Compatibility of this generation of ⁹ ML STD 810H testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage

requires an optional HP Accidental Damage Protection Care Pack. ¹⁰ Sold separately or as an optional feature.

11 Intel® Optane[™] memory system acceleration does not replace or increase the DRAM in your system. Requires 8th Gen or higher Intel® Optane[™] processor, BIOS version with Intel® Optane[™] supported, Windows 10 64-bit, and an Intel® Rapid Storage Technology (Intel® RST) driver. ¹² Speaker enclosure component made with 5% ocean bound plastic.

¹³ Internet access required.
¹⁴ HP Multi Factor Authenticate Gen3 is available on select HP PCs and requires Intel[®] Core™ processor, Intel[®] integrated graphics, and Intel[®] WLAN.

¹⁵ HP Client Security Manager Gen6 requires Windows and is available on the select HP Elite and Pro PCs.

Technical Specifications Footnotes

¹ Not all features are available in all editions or versions of Windows, Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.indows.com/. ² Some devices for academic use will automatically be updated to Windows 10 Pro Education with the Windows 10 Anniversary Update. Features vary, see https://www.indows.com/.

³ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows 10) of disk is reserved for system recovery software. ⁴ Must be configured at time of purchase.

⁵ Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on

⁶ For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Memory modules support data transfer rates up to 2666 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. ⁷ All memory slots are customer accessible / upgradeable.

⁸ Your product does not support Windows 8 or Windows 7. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th generation and ⁹ Wireless access point and internet service required Availability of public wireless access points limited. Wi-Fi 5 (802.11 ac) is backwards compatible with prior 802.11 specs.

¹³ Whetess access point and internet service required. Waitability of point whetess access point and internet service required. Waitability of point whetess access point and internet service required. Waitability of point whetess access point and internet service required. Whetes access point and internet service required. The point of the point whetess access point and internet service required. The point of the point o

¹⁴ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen. ¹⁵ All power supplies are not available in every region.

¹⁶ Availability may vary by country.

¹⁶ Availability may vary by country.
 ¹⁷ The 2.5° SATA drive bay can be both HDD and SSD.
 ¹⁸ Ports are optional, choice of DisplayPort[™] 1.4, HDMI 2.0, or Serial, and must be configured at time of purchase.
 ¹⁹ Actual data rate is determined by both the system's configured processor and memory module installed.

²⁰ HP Drive Lack is not supported on NMe drives.
²¹ HP BloSphere Gen6 is available on select HP Pro and Elite PCs. See product specifications for details. Features may vary depending on the platform and configurations

²² Intel® Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depe www.intel.com/technology/turboboost for more information. nding on hardware, software and overall system configuration. See

²³ Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method.
²⁴ HP Password Manager requires Internet Explorer or Chrome™ or Firefox. Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser

²⁵ HP Support Assistant requires Windows and Internet access.

²⁶ Windows Defender Opt In, Windows 10, and internet connection required for updates.
²⁷ HP Client Security Manager Gen6 requires Windows and is available on select HP Pro and Elite PCs. See product specifications for details.

²⁸ Ivanti Management Suite: subscription required.
²⁹ HP Sure Click is available on select HP platforms and supports Microsoft Internet Explorer, Google Chrome[™], and Chromium[™]. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.

³⁰ HP Management Integration Kit for Microsoft System Center Configuration Management Gen 2: can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/c ³¹ Skype for Business Certified: Sold separately or as an optional feature.

22 For full Intel[®] vProTM functionality, Windows, a vPro supported processor, vPro enabled chipset or higher and vPro enabled WLAN card are required. Some functionality, such as Intel Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Compatibility of this generation of Intel vPro technology-based hardware with future "virtual appliances" is yet to be determined.

³³ Sold separately or as an optional feature. ³⁴ Intel® Optane™ memory system acceleration does not replace or increase the DRAM in your system. Requires 8th Gen or higher Intel® Core™ processor, BIOS version with Intel® Optane™ supported, Windows 10 64-bit, and an Intel® Rapid Storage Technology (Intel® RST) driver. ³⁵ HP Cloud Recovery is available for HP Elite and Pro desktops and laptops PCs with Intel® or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to wird lamas (data). Pathel Hear Life to the Desktop is available for HP Elite and Pro desktops and laptops PCs with Intel® or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to wird lamas (data). Pathel Hear Life to the Unit of the processor is available for the PC and the PC and the PC and the processor is available for the PC and the P

avoid loss of data. Detail please refer to: https://support.hp.com/us-en/document/c05115630. ³⁶ Touch screen: Sold separately or as an optional feature. ³⁷ HP Sure Sense requires Windows 10.

³⁸ Storage Drivelock does not work with Self Encrypting or Optane based storage.
³⁹ Headphone/microphone combo OMTP and CTIA.

Sign up for updates hp.com/go/getupdated

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein

Intel, Core and Intel vPro[™] are trademarks of Intel Corporation in the U.S. and other countries. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Bluetooth is a trademark of its proprietor used by HP Inc. under license. Linux[®] is the registered trademark of Linus Torvalds in the U.S. and other countries. USB Type-C[®] and USB-C[®] are registered trademarks of USB Implementers Forum. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA[®]) in the United States and other countries. Adobe PDF is a trademark of dobe Systems Incorporated. All other trademarks are the property of their respective owners. 4AA7-7744, 2020 July 21

