

FortiGate[®] 400D



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks**.



Security Fabric Integration

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.



Deployment Modes

Next Generation Firewall Internal Segmentation Firewall



Hardware Acceleration SPU NP6 and CP8



Third-Party Certifications





 \Box



16 Gbps

Firewall

1.7 Gbps NGFW 6 Million Concurrent Sessions






•••••

Multiple GE RJ45 and GE SFP slots

HARDWARE

FortiGate 400D



Interfaces

- 1. Console Port (RJ45)
- 2. 2x USB Ports
- 3. 2x GE RJ45 Management Ports

Powered by SPU

- Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- SPU
- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

4. 8x GE SFP Slots

5. 8x GE RJ45 Ports

6. FRPS Connector

6

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor


The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

SOFTWARE

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-boosted capabilities you need on the fastest firewall platform available.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Advanced Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

FSRTINET

SPECIFICATIONS

IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600		FORTIGATE 400D
GE SPF Slots8GE RJ45 Management Ports2USB (Client / Server)1 / 2RJ45 Console Port1Local StorageN/AIncluded Transceivers2x SFP (SX 1 GE)System Performance and Capacity16 / 16 / 16 / 16 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 / 16 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)3 μsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000Psec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSL Inspection Throughput ² 1.9 GbpsApplication Control Throughput ³ 2.5 GbpsNGFW Throughput ⁴ 1.7 GbpsThreat Protection Throughput ⁸ 1.5 GbpsCAPWAP Throughput ⁶ 6 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Interfaces and Modules	
GE RJ45 Management Ports2USB (Client / Server)1 / 2RJ45 Console Port1Local StorageN/AIncluded Transceivers2x SFP (SX 1 GE)System Performance and Capacity16 / 16 / 16 GbpsFirewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000Psec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	GE RJ45 Interfaces	8
USB (Client / Server)1 / 2RJ45 Console Port1Local StorageN/AIncluded Transceivers2x SFP (SX 1 GE)System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000Psec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsApplication Control Throughput 32.5 GbpsCAPWAP Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	GE SFP Slots	8
RJ45 Console Port1Local StorageN/AIncluded Transceivers2x SFP (SX 1 GE)System Performance and CapacityPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)3 μsFirewall Latency (64 byte, UDP)3 μsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000Psec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	GE RJ45 Management Ports	2
Local StorageN/AIncluded Transceivers2x SFP (SX 1 GE)System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsApplication Control Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	USB (Client / Server)	1/2
Included Transceivers2x SFP (SX 1 GE)System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	RJ45 Console Port	1
System Performance and CapacityIPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Local Storage	N/A
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)16 / 16 / 16 / 16 GbpsFirewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Included Transceivers	2x SFP (SX 1 GE)
Firewall Latency (64 byte, UDP)3 µsFirewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000Psec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	System Performance and Capacity	
Firewall Throughput (Packet per Second)24 MppsConcurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiAPs (Total / Tunnel)512 / 256Maximum Number of Registered Endpoints600	IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	16 / 16 / 16 Gbps
Concurrent Sessions (TCP)5.5 MillionNew Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Firewall Latency (64 byte, UDP)	3 µs
New Sessions/Second (TCP)200,000Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Firewall Throughput (Packet per Second)	24 Mpps
Firewall Policies10,000IPsec VPN Throughput (512 byte)14 GbpsGateway-to-Gateway IPsec VPN Tunnels2,000Client-to-Gateway IPsec VPN Tunnels10,000SSL-VPN Throughput350 MbpsConcurrent SSL-VPN Users (Recommended Maximum)500IPS Throughput (HTTP / Enterprise Mix) 12.8 / 2 GbpsSSL Inspection Throughput 21.9 GbpsApplication Control Throughput 32.5 GbpsNGFW Throughput 41.7 GbpsThreat Protection Throughput 51.5 GbpsCAPWAP Throughput 66 GbpsVirtual Domains (Default / Maximum)10 / 10Maximum Number of FortiTokens1,000Maximum Number of Registered Endpoints600	Concurrent Sessions (TCP)	5.5 Million
IPsec VPN Throughput (512 byte) 14 Gbps Gateway-to-Gateway IPsec VPN Tunnels 2,000 Client-to-Gateway IPsec VPN Tunnels 10,000 SSL-VPN Throughput 350 Mbps Concurrent SSL-VPN Users (Recommended Maximum) 500 IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of Registered Endpoints 600	New Sessions/Second (TCP)	200,000
Gateway-to-Gateway IPsec VPN Tunnels 2,000 Client-to-Gateway IPsec VPN Tunnels 10,000 SSL-VPN Throughput 350 Mbps Concurrent SSL-VPN Users (Recommended Maximum) 500 IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Firewall Policies	10,000
Client-to-Gateway IPsec VPN Tunnels 10,000 SSL-VPN Throughput 350 Mbps Concurrent SSL-VPN Users (Recommended Maximum) 500 IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	IPsec VPN Throughput (512 byte)	14 Gbps
SSL-VPN Throughput 350 Mbps Concurrent SSL-VPN Users (Recommended Maximum) 500 IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Gateway-to-Gateway IPsec VPN Tunnels	2,000
Concurrent SSL-VPN Users (Recommended Maximum) 500 IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Client-to-Gateway IPsec VPN Tunnels	10,000
IPS Throughput (HTTP / Enterprise Mix) 1 2.8 / 2 Gbps SSL Inspection Throughput 2 1.9 Gbps Application Control Throughput 3 2.5 Gbps NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	SSL-VPN Throughput	350 Mbps
SSL Inspection Throughput ² 1.9 Gbps Application Control Throughput ³ 2.5 Gbps NGFW Throughput ⁴ 1.7 Gbps Threat Protection Throughput ⁵ 1.5 Gbps CAPWAP Throughput ⁶ 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of Registered Endpoints 600	Concurrent SSL-VPN Users (Recommended Maximum)	500
Application Control Throughput ³ 2.5 Gbps NGFW Throughput ⁴ 1.7 Gbps Threat Protection Throughput ⁵ 1.5 Gbps CAPWAP Throughput ⁶ 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of Registered Endpoints 600	IPS Throughput (HTTP / Enterprise Mix) ¹	2.8 / 2 Gbps
NGFW Throughput 4 1.7 Gbps Threat Protection Throughput 5 1.5 Gbps CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	SSL Inspection Throughput ²	1.9 Gbps
Threat Protection Throughput ⁵ 1.5 Gbps CAPWAP Throughput ⁶ 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Application Control Throughput ³	2.5 Gbps
CAPWAP Throughput 6 6 Gbps Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	NGFW Throughput ⁴	1.7 Gbps
Virtual Domains (Default / Maximum) 10 / 10 Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Threat Protection Throughput 5	1.5 Gbps
Maximum Number of FortiAPs (Total / Tunnel) 512 / 256 Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	CAPWAP Throughput 6	6 Gbps
Maximum Number of FortiTokens 1,000 Maximum Number of Registered Endpoints 600	Virtual Domains (Default / Maximum)	10/10
Maximum Number of Registered Endpoints 600	Maximum Number of FortiAPs (Total / Tunnel)	512 / 256
······	Maximum Number of FortiTokens	1,000
High Availability Configurations Active-Active, Active-Passive, Clustering	Maximum Number of Registered Endpoints	600
	High Availability Configurations	Active-Active, Active-Passive, Clustering

	FORTIGATE 400D
Dimensions and Power	
Height x Width x Length (inches)	1.73 x 17 x 12.68
Height x Width x Length (mm)	44 x 432 x 322
Weight	10.5 lbs (4.8 kg)
Form Factor	1 RU
Power Consumption (Average / Maximum)	113 W / 202 W
Power Source	100–240V AC, 60–50 Hz
Current (Maximum)	110V/4A, 220V/2A
Heat Dissipation	690 BTU/h
Operating Environment and Certifications	
Operating Temperature	32-104°F (0-40°C)
Storage Temperature	31–158°F (-35–70°C)
Humidity	20–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/ cUL, CB
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN USGv6/IPv6

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 400D	FG-400D	10x GE RJ45 ports, 8x GE SFP slots, SPU NP6 and CP8 hardware accelerated.
Optional Accessories		
External Redundant AC Power Supply	FRPS-100	External redundant AC power supply for up to 4 units: FG-300C, FG-310B, FS-348B and FS-448B. Up to 2 units: FG-200B, FG-200D, FG-240D and FG-300D, FG-400D, FG-500D, FG-600D, FHV-500D, FDD-200B, FDD-400B, FDD-600B and FDD-800B
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Fortnet, Inc. All rights reserved. Fortiles®, Fortiles®, Fortiles® and Fortiles@, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlaned in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein represents any binding commitment by Fortinet, and Fortine disclaims all warantes, whether express or inplied, except to the extent Fortine teres a binding written contract, signed by Fortinet. For about carring, with a purchaser that express/warants that the identified product in such binding wrents. Notifies Fortine Towaranty wills be internet on Fortinet. For about carring, waranty waranty wills the same ideal conditions as in Fortinet's internal lab tests. In one event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and quarantees pursuant here express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.